

统计学习对儿童早期语言发育影响的研究进展

凌寒, 洪恬

上海交通大学人文学院, 上海 200030

摘要: 统计学习是指人类从连续语流中提取统计信息以习得语言的能力, 涉及视觉和听觉模态, 与大脑特定神经机制相关。研究表明, 早期统计学习能力与儿童的语音、词汇和语法习得密切相关, 且孤独症谱系障碍、发育性语言障碍和发展性阅读障碍等语言障碍儿童会在统计学习方面表现出缺陷, 进而导致其语言理解和表达困难。基于以往研究和临床应用, 统计学习任务可作为早期筛查工具, 并且, 重复性语言输入、多感官参与训练等统计学习相关的干预措施也可有效提升语言障碍儿童的语言能力。本文综述了统计学习对儿童早期语言发育的影响及其在临床和儿童保健中的应用, 为语言发育问题的早期识别和干预提供了科学依据, 并为未来临床应用提供了参考。

关键词: 统计学习; 儿童; 语言发育; 语言障碍

中图分类号: R179

文献标识码: A

文章编号: 1008-6579(2026)02-0206-06

doi: 10.11852/zgetbjzz2025-0322

Research progress on the impact of statistical learning on early language development in children

LING Han, HONG Tian

School of Humanities, Shanghai Jiao Tong University, Shanghai 200030, China

Corresponding author: HONG Tian, E-mail: hongtian@sjtu.edu.cn

Abstract: Statistical learning refers to the human capacity to extract statistical information from continuous speech streams to acquire language, involving both visual and auditory modalities and is associated with specific neural mechanisms in the brain. Research indicates that early statistical learning ability is closely linked to children's acquisition of phonology, vocabulary, and grammar. Deficits in this ability are observed in children with language impairments such as autism spectrum disorder (ASD), developmental language disorder (DLD), and developmental dyslexia (DD), contributing to difficulties in language comprehension and expression. Based on previous studies and clinical applications, statistical learning tasks can serve as early screening tools. Additionally, intervention strategies related to statistical learning, such as repetitive language input and multisensory engagement training, can effectively enhance the language abilities of children with language disorders. This article reviews the impact of statistical learning on early language development in children and its applications in clinical and child healthcare settings. It provides a scientific basis for the early identification and intervention of language development issues and offers insights for future clinical practice.

Keywords: statistical learning; children; language development; language disorders

儿童早期是语言发育的关键时期, 这一阶段的语言发育不仅关系到儿童的认知发展、社会交际能力, 还深刻影响其未来的学业成就和生活质量。众多研究表明, 统计学习 (statistical learning, SL) 是婴儿时期就已经具备的能力, 婴儿可以借助统计学习这一能力学习和记忆语音序列、识别言语中的单词和语言结构, 从而习得语言^[1-2]。统计学习使学习者能够从环境中提取必要的规律, 进而构建语言系统。随着个体从婴儿期成长至成年, 统计学习的能力及其特点也会发生相应的变化^[3]。本文旨在

整理和总结现有研究, 综述统计学习在儿童早期语言发育领域的研究进展, 特别是关注其在临床和儿童保健实践中的应用, 为未来研究提供方向和启示。

1 统计学习的定义与机制

统计学习是指个体通过识别环境中的统计信息来获取规律的学习方式^[1]。研究表明, 婴儿能够从连续的语音输入中捕捉统计特征, 尤其是条件概率 (transitional probabilities), 进而识别单词边界, 并

基金项目: 国家社会科学基金青年项目 (23CYY042)

作者简介: 凌寒 (2002—), 女, 在读硕士研究生, 主要研究方向为二语习得。

通信作者: 洪恬, E-mail: hongtian@sjtu.edu.cn

发现语言中的潜在模式^[4]。Saffran 等^[5]提出,语言学习者能够检测并利用音节序列的统计特征来识别连续语音中的单词,并且这种统计学习机制还可用于如音调分割等非语言刺激的处理。根据感知通道的不同,统计学习可分为视觉统计学习 (visual statistical learning, VSL) 和听觉统计学习 (auditory statistical learning, ASL), 即分别通过视觉和听觉通道学习环境中的统计规律。其中, VSL 主要通过抽象图形序列呈现、空间预测任务等考察视觉规则的学习效果^[3], Bettoni 等^[6]的实验证实视觉规则学习能力对个体语言和阅读发展的泛化具有预测价值; ASL 则通过音节流和纯音序列等揭示内隐学习机制^[3], Kidd 等^[7]的研究发现, ASL 任务的重复测量显示出良好的短期测试-重测信度, 可有效衡量个体内化语言统计规律的能力差异。

VSL 和 ASL 效能随儿童年龄的增长而提高, 其发展轨迹与注意力控制、工作记忆等执行功能的成熟度高度耦合, 提示其与认知神经系统发育存在紧密关联。Conway^[8]提出的“统计学习双系统理论”指出: 由大脑皮层可塑性驱动的联想系统负责特定模式学习和知觉优化; 而前额叶皮层 (prefrontal cortex, PFC) 介导的注意力系统则通过工作记忆网络跨时间整合复杂模式 (如非相邻依赖关系)。然而 Ambrus 等^[9]却发现背外侧前额叶皮层 (dorsolateral prefrontal cortex, DLPFC) 的双侧抑制反而促进非相邻模式学习。这是由于 PFC 成熟通过强化注意调控提高显性统计学习效率, 而 DLPFC 抑制则通过减弱对皮层下结构的过度控制, 促进隐性统计规律的自动化提取^[9]。以上发现阐释了统计学习的多系统协同性, 并为行为表现与神经可塑性间的关联提供了实证依据。

2 统计学习在儿童早期语言发育中的作用

统计学习是儿童语言习得的重要机制, 与儿童早期语言发育紧密相关。Monaghan 等^[10]的研究进一步发现 17 月龄儿童的统计学习能力可预测其 54 个月时的口语技能以及 70 个月以后的阅读能力。此外, 学龄期研究证实儿童的 VSL 能力与其句法理解能力存在显著关联^[11], 形成语言能力发展的连续性预测链条。因此, 为了更深入理解统计学习对儿童语言发展的作用, 有必要从语音、词汇与语法等核心语言系统入手, 探讨其在早期语言习得中具体发挥作用的机制。

2.1 语音习得中的统计学习 在儿童语言发育的早期阶段, 语音的类别学习是构建语言能力的基础,

也是词汇和语法结构习得的关键。语音类别识别依赖于统计学习, 即儿童通过感知语音信号的频率分布来区分不同类别的语音。Maye 等^[12]的研究发现, 8 月龄婴儿能够通过感知语音信号的统计分布, 从原始声学信号中提取声学特征, 从而有效区分语音类别。统计学习提供了一种无监督的学习方式, 使儿童能够从日常语言输入中自动识别并提取重要的语音信息。此外, 感知-知觉映射是统计学习中的重要环节, 涉及儿童如何从复杂的听觉输入中提取并理解语音模式。Panzani 等^[13]测试了 31 周早产儿和足月新生儿对于标准序列 “ga-ba-ga-ba-ga” 和偏差序列 “ga-ba-ga-ba-ba” 的失配反应 (mismatch response, MMR), 发现这些婴儿都能够检测到偏差序列的规则违反, 并识别出音节间的共现关系, 从而建立音节的心理表征。

2.2 词汇习得中的统计学习 词汇习得是儿童语言发展的重要组成部分, 儿童通过不断暴露于语言环境, 依靠统计学习从语音流中自动识别出有意义的词汇, 这一过程为后续的语言理解和产生提供了基础。在该过程中, 婴儿面临的首要挑战是词汇边界的识别, 其中音节之间的过渡概率是婴儿识别词汇边界的关键, 他们能够将高频音节组合识别为潜在的单词, 而将低概率组合标记为单词边界。Saffran 等^[1,4]的系列研究表明, 8 月龄婴儿在听一段合成的音节序列后, 能够利用音节间的过渡概率识别单词边界, 并能区分真实单词和跨单词边界的“伪词” (part-words), 这证实了他们能够基于音节过渡概率对连续语音进行分割。综上, 通过统计学习, 儿童能够从连续语流中识别出有意义且常用的词汇, 从而逐步掌握词汇的含义、用法及组合规则。

2.3 语法习得中的统计学习 语法习得是儿童语言发展中的高级阶段, 涉及单词在句子中的排列规律和组合规则的学习, 其本质在于通过统计学习机制建立多层次的句法表征系统。在基础语法习得层面, 儿童通过统计学习分析词汇和短语的共现模式, 逐渐识别并理解基本的句法结构, 例如主谓宾顺序或形容词修饰名词的规则。Hay 等^[14]的实验揭示了婴儿对多维统计线索 (包括过渡概率与形态句法标记) 具有整合分析能力。在复杂语法构建层面, Bettoni 等^[15]通过 VSL 实验证明, 婴儿能够捕捉到词与词之间的关系, 形成并推广结构模式, 这种能力与后期递归句法结构的习得呈显著正相关。具体来说, 婴儿通过反复接触和分析语言输入中的统计规律, 能够构建出更加泛化的句法知识, 从而适应多样化的语言情境。

3 统计学习对语言障碍儿童的临床意义

统计学习在语言习得中的作用不仅限于典型发育儿童,其在语言障碍儿童的研究中也被广泛关注。

3.1 统计学习与语言发育障碍 目前,多种语言发育问题被发现与统计学习能力的缺陷存在关联,如孤独症谱系障碍 (autism spectrum disorder, ASD)^[16]、发育性语言障碍 (developmental language disorder, DLD)^[17] 和发展性阅读障碍 (developmental dyslexia, DD)^[18] 等。见图 1。




图 1 统计学习与语言发育障碍

Fig. 1 Statistical learning and language development disorders

3.1.1 孤独症谱系障碍 ASD 儿童的语言和社交沟通困难(例如词汇和语法发展不足等)可能与统计学习机制受损存在关联^[19],目前主要存在三种理论解释路径:

一是神经生物学机制异常,ASD 儿童在处理语言统计线索(如过渡概率、韵律线索)时,基底节(basal ganglia, BG)与左侧缘上回(left supramarginal gyrus, LSMG)的活动显著弱于典型发育儿童^[20],表明其统计线索提取系统的神经基础受损;二是注意力资源分配的独特性,例如, Hu 等^[16]的研究显示,ASD 儿童在语言类统计学习任务(音节和字母序列)中的表现弱于典型发育儿童,但在非语言类任务(声调和图像序列)中则未呈现组间差异,这提示其对语言表面特征(如语调)过度关注,导致对深层统计规律的提取效率低下;三是社会互动理论,该理论认为 ASD 儿童在社交情境中的参与度不足可能削弱其对语言输入中统计规律的提取能力,影响语音-语义的联结及语用规则的习得,进而导致 ASD 儿童在会话准则理解、话轮转换等语用层面的特异性障碍^[21]。

3.1.2 发育性语言障碍 DLD 以语言理解与表达的双重困难为临床特征,典型表现为句法结构混乱、

语言流畅度受损等。关于其神经认知机制, Ullman 等^[22]提出的程序性缺陷假说(procedural deficit hypothesis, PDH)认为,语法规则内化相关的程序性记忆系统发育异常是 DLD 的核心成因,而这可能影响其语言统计规律的神经编码效率。

具体而言,语音统计学习缺陷可能引发 DLD 儿童的次级语言障碍。Georgiou 等^[23]证实 DLD 儿童对清浊辅音(如[b]与[p]、[d]与[t])辨别的准确率较典型发育儿童低 12~15 个百分点,结合 Hall 等^[24]发现 DLD 儿童存在实时语言预测编码障碍,说明 DLD 儿童的语音统计学习缺陷可能直接影响其语音工作记忆及社会性言语互动能力。除此之外,语法统计学习异常是 DLD 的核心表征之一。Du 等^[25]采用被动句复述范式发现,DLD 儿童非相邻依赖关系(non-adjacent dependency, NAD)的统计敏感性缺失^[17]可能导致句法规则归纳失败,进而影响复杂语句的理解与产出。

3.1.3 发展性阅读障碍 典型发育的个体通过提取文字符号与语音单位间的统计规律实现阅读习得,而 DD 患者的统计学习能力缺陷可能是其阅读困难的重要原因之一^[18]。

从认知神经机制来看,DD 儿童在基底神经节和内侧颞叶的功能上存在活动异常,这可能导致其视觉和听觉统计学习系统受损^[26]。在 VSL 层面, Bettoni 等^[6,27]的研究发现,DD 儿童在学龄期持续存在视觉规则提取及泛化障碍,提示其 VSL 机制的低效率可能影响正字法意识的形成进而导致文字信息解码困难。在 ASL 层面, Männel 等^[28]采用知觉锚定范式对 11 岁儿童进行的研究证实,DD 儿童在利用重复性听觉信息构建感知参照系统时存在困难。这种听觉统计学习能力的缺陷可能致使音素序列加工效率下降、语音-语义映射机制发育迟缓,最终表现为语音解码困难和语言理解障碍。

3.2 早期筛查与诊断 统计学习作为语言发育的基础机制,其评估工具的开发为早期识别语言发育障碍提供了新途径。在听觉统计学习评估方面, Kidd 等^[29]开发的统计诱导序列回忆(statistically induced chunking recall, SICR)范式通过呈现人工合成的连续语音流(含音节或伪词),要求 5~8 岁儿童在熟悉阶段后完成序列回忆任务,借此测量其语言组块化处理能力及序列记忆和再现能力。SICR 范式能有效捕捉语言学习中的隐性学习缺陷(如语音工作记忆缺陷)——这正是 DLD 群体语言习得困难的潜在机制之一,并且该范式良好的信效度使其有望应用于临床实践。

4.2 临床干预效果的评估 统计学习的变化可作为量化指标,用于衡量干预效果,帮助临床医生和言语治疗师调整和优化治疗方案。例如, Ibrahim 等^[35]通过对比儿童在干预前后执行语言技能任务的表现差异,量化其语言模式识别及应用能力的改善程度。具体而言,通过在干预前后对儿童进行统计学习任务的评估,可检测其在语言模式识别、内化和泛化方面的进步,从而为每个儿童制定个性化的后续干预方案。

当前临床评估体系呈现多模态整合趋势,在统计学习能力测评的基础上,纳入词汇量测试、语法理解评估等语言能力测试。这种多维度的评估架构不仅可以数据交叉验证确保评估结果的效度,还可全景式呈现儿童语言发育的优势与短板。通过这种综合评估,临床工作者能够精准把握干预策略的作用路径,实现干预方案的动态优化。

综上所述,统计学习是儿童语言习得的核心认知机制,对早期语言发展至关重要。研究表明,婴儿通过该机制实现语音序列记忆、词汇切分及语法规则提取。其临床应用价值在特殊群体中尤为显著,基于统计学习的强化训练方案可提高语言障碍儿童的词汇识别、语法整合及语用适应能力,相关干预方案有助于临床识别与预防儿童早期语言发育问题。鉴于此,建议在临床实践中开发融合统计学习指标的标准化动态评估工具,通过持续追踪儿童语言发展指标优化干预策略,以提升儿童语言保健体系的科学性与实效性。

参考文献

- [1] Saffran JR, Aslin RN, Newport EL. Statistical learning by 8-month-old infants[J]. *Sci New Ser*, 1996, 274(5294): 1926-1928.
- [2] Frost RLA, Jessop A, Durrant S, et al. Non-adjacent dependency learning in infancy, and its link to language development[J]. *Cognit Psychol*, 2020, 120: 101291.
- [3] Forest TA, Schlichting ML, Duncan KD, et al. Changes in statistical learning across development[J]. *Nat Rev Psychol*, 2023, 2: 205-219.
- [4] Aslin RN, Saffran JR, Newport EL. Computation of conditional probability statistics by 8-month-old infants[J]. *Psychol Sci*, 1998, 9(4): 321-324.
- [5] Saffran JR, Johnson EK, Aslin RN, et al. Statistical learning of tone sequences by human infants and adults[J]. *Cognition*, 1999, 70(1): 27-52.
- [6] Bettoni R, Riva V, Molteni M, et al. Rules generalization in children with dyslexia [J]. *Res Dev Disabil*, 2024, 146: 104673.
- [7] Kidd E, Arciuli J, Christiansen MH, et al. The sources and consequences of individual differences in statistical learning for language development[J]. *Cogn Dev*, 2023, 66: 101335.
- [8] Conway CM. How does the brain learn environmental structure? Ten core principles for understanding the neurocognitive mechanisms of statistical learning[J]. *Neurosci Biobehav Rev*, 2020, 112: 279-299.
- [9] Ambrus GG, Vékony T, Janacek K, et al. When less is more: Enhanced statistical learning of non-adjacent dependencies after disruption of bilateral DLPFC [J]. *J Mem Lang*, 2020, 114: 104144.
- [10] Monaghan P, Jago LS, Speyer L, et al. Statistical learning ability at 17 months relates to early reading skills via oral language[J]. *J Exp Child Psychol*, 2024, 246: 106002.
- [11] Kidd E, Arciuli J. Individual differences in statistical learning predict children's comprehension of syntax[J]. *Child Dev*, 2016, 87(1): 184-193.
- [12] Maye J, Weiss DJ, Aslin RN. Statistical phonetic learning in infants: Facilitation and feature generalization[J]. *Dev Sci*, 2008, 11(1): 122-134.
- [13] Panzani M, Mahmoudzadeh M, Wallois F, et al. Detection of regularities in auditory sequences before and at term-age in human neonates[J]. *Neuro Image*, 2023, 284: 120428.
- [14] Hay JF, Pelucchi B, Estes KG, et al. Linking sounds to meanings: Infant statistical learning in a natural language [J]. *Cognit Psychol*, 2011, 63(2): 93-106.
- [15] Bettoni R, Riva V, Cantiani C, et al. Infants' learning of rule-based visual sequences predicts language outcome at 2 years[J]. *Front Psychol*, 2020, 11: 281.
- [16] Hu A, Kozloff V, Owen Van Horne A, et al. Dissociation between linguistic and nonlinguistic statistical learning in children with autism[J]. *J Autism Dev Disord*, 2024, 54(5): 1912-1927.
- [17] Lammertink I, Boersma P, Wijnen F, et al. Children with developmental language disorder have an auditory verbal statistical learning deficit: Evidence from an online measure [J]. *Lang Learn*, 2020, 70(1): 137-178.
- [18] Singh S, Conway CM. Unraveling the interconnections between statistical learning and dyslexia: A review of recent empirical studies [J]. *Front Hum Neurosci*, 2021, 15: 734179.
- [19] Su Y (Esther), Xie QQ, Yao HH. Expressive language variation, growth and predictors in Mandarin-exposed young children with autism spectrum disorder[J]. *Lang Health*, 2024, 2(1): 39-46.
- [20] Scott-Van Zeeland AA, McNealy K, Wang AT, et al. No neural evidence of statistical learning during exposure to artificial languages in children with autism spectrum disorders [J]. *Biol Psychiatry*, 2010, 68(4): 345-351.
- [21] Berenguer C, Rosa E, De Stasio S, et al. Sleep quality relates to language impairment in children with autism spectrum disorder without intellectual disability[J]. *Sleep Med*, 2024, 117: 99-106.
- [22] Ullman MT, Pierpont EI. Specific language impairment is not specific to language: The procedural deficit hypothesis [J]. *Cortex*, 2005, 41(3): 399-433.
- [23] Georgiou GP, Theodorou E. Abilities of children with developmental language disorders in perceiving phonological, grammatical, and semantic structures [J]. *J Autism Dev Disord*, 2023, 53(11): 4483-4487.

- [24] Hall JE, Owen van Horne A, Farmer TA. Individual differences in verb bias sensitivity in children and adults with developmental language disorder[J]. *Front Hum Neurosci*, 2019, 13: 402.
- [25] Du J, Durrleman S, He X, et al. The repetition of passives in mandarin-speaking children with developmental language disorder and autistic children with language impairment[J]. *Lingua*, 2024, 310: 103793.
- [26] Ozernov-Palchik O, Qi Z, Beach SD, et al. Intact procedural memory and impaired auditory statistical learning in adults with dyslexia[J]. *Neuropsychologia*, 2023, 188: 108638.
- [27] Tong XH, Leung WWS, Tong XL. Visual statistical learning and orthographic awareness in Chinese children with and without developmental dyslexia[J]. *Res Dev Disabil*, 2019, 92: 103443.
- [28] Männel C, Ramos-Sanchez J, Obrig H, et al. Perceptual anchoring: Children with dyslexia benefit less than controls from contextual repetitions in speech processing[J]. *Clin Neurophysiol*, 2024, 166: 117-128.
- [29] Kidd E, Arciuli J, Christiansen MH, et al. Measuring children's auditory statistical learning via serial recall[J]. *J Exp Child Psychol*, 2020, 200: 104964.
- [30] Stärk K, Kidd E, Frost RLA. The effect of children's prior knowledge and language abilities on their statistical learning[J]. *Appl Psycholinguist*, 2022, 43(5): 1045-1071.
- [31] López-Bouzas N, del Moral-Pérez ME, Castañeda-Fernández J. Improved socio-emotional skills in students with autism spectrum disorder (ASD) following an intervention supported by an augmented gamified environment[J]. *Int J Child-Comput Interact*, 2024, 42: 100683.
- [32] 章依文. 早期语言暴露对儿童语言发育的中长期影响[J]. *中国儿童保健杂志*, 2019, 27(12): 1277-1280.
- Zhang YW. Medium and long-term effects of early language exposure on children's language development[J]. *Chin J Child Health Care*, 2019, 27(12): 1277-1280. (in Chinese)
- [33] 郝燕, 赵瑾珠. 家长实施的儿童早期语言干预策略[J]. *中国儿童保健杂志*, 2022, 30(8): 818-821.
- Hao Y, Zhao JZ. Parent-implemented early language intervention strategies for children[J]. *Chin J Child Health Care*, 2022, 30(8): 818-821. (in Chinese)
- [34] Ren JL, Wang M. Development of statistical learning ability across modalities, domains, and languages[J]. *J Exp Child Psychol*, 2023, 226: 105570.
- [35] Ibrahim SM, Sobhy OA, ElMaghraby RM, et al. Efficacy of a novel narrative intervention program for children with developmental language disorder: A pilot randomized controlled trial[J]. *Int J Pediatr Otorhinolaryngol*, 2025, 190: 112243.
- 收稿日期: 2025-03-31 修回日期: 2025-07-31 本文编辑: 李少闻

(上接第 205 页)

- [7] 蔡志勇, 刘进娣, 卞洪亮, 等. 早产儿生后第 1 天血清白蛋白水平与病死率相关性分析[J]. *中华新生儿科杂志*, 2017, 32(6): 426-430.
- Cai ZY, Liu JD, Bian HL, et al. The correlation between serum albumin level on the first day of life and mortality in preterm infants[J]. *Chin J Neonatol*, 2017, 32(6): 426-430. (in Chinese)
- [8] Morris I, McCallion N, El-Khuffash A, et al. Serum albumin and mortality in very low birth weight infants[J]. *Arch Dis Child Fetal Neonatal Ed*, 2008, 93(4): F310-F312.
- [9] Ward ES, Gelinas D, Dreesen E, et al. Clinical significance of serum albumin and implications of FcRn inhibitor treatment in IgG-mediated autoimmune disorders[J]. *Front Immunol*, 2022, 13: 892534.
- [10] Wu N, Liu T, Tian M, et al. Albumin, an interesting and functionally diverse protein, varies from 'native' to 'effective' [J]. *Mol Med Rep*, 2024, 29(2): 24.
- [11] Eckart A, Struja T, Kutz A, et al. Relationship of nutritional status, inflammation, and serum albumin levels during acute illness: A prospective study[J]. *Am J Med*, 2020, 133(6): 713-722.
- [12] Ying Q, You X, Luo F, et al. Maternal-neonatal serum albumin level and neonatal respiratory distress syndrome in late-preterm infants[J]. *Front Pediatr*, 2021, 9: 666934.
- [13] Sheinenzon A, Shehadeh M, Michelis R, et al. Serum albumin levels and inflammation[J]. *Int J Biol Macromol*, 2021, 184: 857-862.
- [14] Bekit OE, Yousef RM, Abdelraasol HA, et al. Serum albumin level as a predictor of outcome in patients admitted to pediatric intensive care units[J]. *Pediatr Emerg Care*, 2021, 37(12): e855-e860.
- [15] Kenny SE, Pierro A, Isherwood D, et al. Hypoalbuminaemia in surgical neonates receiving parenteral nutrition[J]. *J Pediatr Surg*, 1995, 30(3): 454-457.
- [16] 王其茂, 杨小婷, 王波. 血清白蛋白水平与早产儿重度脑室内出血病死率相关性[J]. *湖南师范大学学报(医学版)*, 2021, 18(4): 90-93.
- Wang QM, Yang XT, Wang B. Correlation between serum albumin level and mortality of severe intraventricular hemorrhage in premature infants[J]. *J Hunan Normal Univ (Med Sci)*, 2021, 18(4): 90-93. (in Chinese)
- [17] Apeltgren KN, Rombeau JL, Twomey PL, et al. Comparison of nutritional indices and outcome in critically ill patients[J]. *Crit Care Med*, 1982, 10(5): 305-307.
- [18] 吴瑕, 张碧旸, 孙铁男, 等. 血清白蛋白水平与心源性休克患者院内死亡风险的相关性研究[J]. *心肺血管病杂志*, 2022, 41(12): 1232-1237.
- Wu X, Zhang BY, Sun TN, et al. Correlation between serum albumin level and the risk of in-hospital mortality in patients with cardiogenic shock[J]. *J Cardiovasc Pulm Dis*, 2022, 41(12): 1232-1237. (in Chinese)
- [19] Frenkel A, Novack V, Bichovsky Y, et al. Serum albumin levels as a predictor of mortality in patients with sepsis: A multicenter study[J]. *Isr Med Assoc J*, 2022, 24(7): 454-459.
- [20] 谢华, 王国莲, 佟丽. 赤峰市新生儿死亡原因分析[J]. *中华新生儿科杂志*, 2022, 37(5): 439-443.
- Xie H, Wang GL, Tong L. Neonatal mortality analysis of Chifeng City[J]. *Chin J Neonatol*, 2022, 37(5): 439-443. (in Chinese)
- 收稿日期: 2025-03-17 修回日期: 2025-09-15 本文编辑: 李少闻