

Corrigendum

Corrigendum to: Machine learning-powered, high-affinity modification strategies for aptamers

Gubu Amu^{a,1}, Xin Yang^{a,b,1}, Hang Luo^{c,1}, Sifan Yu^{b,1}, Huarui Zhang^{c,1}, Yuan Tian^b, Yuanyuan Yu^b, Shijian Ding^b, Yufei Pan^a, Zefeng Chen^b, Yixin He^{a,*}, Yuan Ma^{b,c,1,*}, Baoting Zhang^{c,*} and Ge Zhang^{b,*}

^aAptacure Therapeutics Limited, Hong Kong SAR, China

^bLaw Sau Fai Institute for Advancing Translational Medicine in Bone & Joint Diseases, School of Chinese Medicine, Hong Kong Baptist University, Hong Kong SAR, 999077, China

^cSchool of Chinese Medicine, Faculty of Medicine, The Chinese University of Hong Kong, Hong Kong SAR, 999077, China

¹These authors contributed equally.

***Correspondence:** berryhe@aptacure.com (Y. He); mayuan@hkbu.edu.hk (Y. Ma); zhangbaoting@cuhk.edu.hk (B. Zhang); zhangge@hkbu.edu.hk (G. Zhang)

DOI 10.15212/AMM-2025-1003

In the publication by Amu et al., the authors identified an error in the first paragraph of Section 2.5 in the sentence “The model efficacy in predicting binding affinity was gauged using the coefficient of determination (R^2) and the Pearson correlation coefficient (PCC) per the methodology by Weirauch et al.” The revised sentence is provided below:

The model efficacy in predicting binding affinity was gauged using the coefficient of determination (R^2) and the Pearson correlation coefficient (PCC) per the methodology.

The authors regret that this error was not identified during the final proof review.

The authors would like to apologize for any inconvenience caused.

DOI of original article <https://doi.org/10.15212/AMM-2024-0065>

Corrigendum to: Gubu Amu, Xin Yang, Hang Luo, Sifan Yu, Huarui Zhang, Yuan Tian, Yuanyuan Yu, Shijian Ding, Yufei Pan, Zefeng Chen, Yixin He, Yuan Ma, Baoting Zhang, Ge Zhang. 2025. Machine learning-powered, high-affinity modification strategies for aptamers. *Acta Materia Medica*. Volume 4, Issue 1, pages 122–136. (DOI: [10.15212/AMM-2024-0065](https://doi.org/10.15212/AMM-2024-0065))